

**Kubota**



**KUBOTA DIESEL TRACTOR**

# **BX24 DIESEL TRACTOR LOADER LANDSCAPER**



**NEW FROM KUBOTA – VERSATILE 17kw TRACTOR WITH DETACHABLE FRONT LOADER AND BACKHOE.**

**FEATURES MID PTO & BRACKETS FOR MOWER DECK AND REAR PTO PLUS 3 POINT LINKAGE.**

## **SPECIFICATIONS – BX24 Tractor**

PTO Power:		13.2 kw
Engine:	Maker:	KUBOTA
	Type:	Indirect Injection, water cooled, 4 cycle Diesel
	No of Cylinders:	3
	Displacement:	898 cc
	Gross Power (SAE)	17.1kw (23hp) @ 3200 RPM
	Max torque:	56.1 N-M
Capacities:	Fuel Tank:	25litres
Dimensions:	Overall Length:(w/o rear linkage):	2170mm
	Overall width:	1145mm
	Overall height: (With ROPS)	2170mm
	Overall height: (with ROPS folded)	1630mm
	Wheelbase:	1400mm
	Min ground clearance:	175mm
	Min turning Radius:	2.3m
Weight:	With ROPS:	690kg
Steering:		Hydrostatic
Tyres:	Front:	18 x 8.50-10 (Turf / Ind)
	Rear:	26 x 1200-12 (Turf / Ind)
Transmission:	Main:	Continuously variable Hydrostatic
	Ranges:	2 gears, high & low
Brakes:		Wet disc Type
Hydraulics:	Pump Capacity:	23.5 litres/min
	Lift capacity:	550kg at link ends 310kg 24" behind hitch
	3 point:	Cat I
PTO:	Rear:	540 RPM
	Mid:	2500 RPM
Speeds:	Forward:	0 – 13km/h
	Reverse:	0 – 10km/h

## **SPECIFICATIONS – LA240 Loader**

Bucket:	Capacity:	0.14 cu m (Level) 0.17 cu m (heaped)
Max lift:	Bottom of bucket:	1680mm
	Bucket dumped:	1330mm
Lift capacity:	At front of bucket:	235kg Max height
	At Pivot pin	340kg

## **SPECIFICATIONS – BT601 Backhoe**

Max Digging depth:	1889mm
Loading Height:	1533mm
Loading Reach:	1016mm

